INDEX

Page

Actinomyces—
nitrogen fixation studies. Franklin E. Allison, Sam R. Hoover, and Herman J. Morris 1115–1123
scabies, infection of potatoes, relation to flea-beetle injury 251–257
ADAMS, ESTHER, and ROBBINS, WILLIAM J.: Effect of Dyes on Yeast Fermentation as Influenced by Hydrogen-Ion Concentration 1025–1031
Agricultural byproducts, utilization in the production of propionic acid by fermentation. H. G. Wood and C. H. Werkman 1017–1024
Agropyron smithii, botanical analysis, comparison of methods 815–842
Air, confined, effect on soil-water movement. W. L. Powers 1125–1133
ALBRECHT, H. R.; BRINK, R. A.; and JONES, F. R.: Genetics of Resistance to Bacterial Wilt in Alfalfa 635–642

Alfalfa—
bacterial wilt, genetics of resistance to. R. A. Brink, F. R. Jones, and H. R. Albrecht 635–642
blossom, color of inbred progenies, data 687–690
foliage, color of inbred progenies, data 690–693
leaflet—
length of inbred progenies, data 682–684
width of inbred progenies, data 684–686
leaves, changes after—
injury by live steam, study 397–399
potato leaf-hopper injury, study 392–397
plants, inbred progenies—
erectness 676–678
height 671–673
stem diameter 678–682
width 673–675
resistance to bacterial wilt, genetics of. R. A. Brink, F. R. Jones, and H. R. Albrecht 635–642
variability in, effects of inbreeding. George Stewart 669–694
ALLEN, H. W., and BURRELL, R. W.: Methods of Obtaining Emergence of *Tiphia* Adults from Imported Cocoons for Use against the Japanese Beetle 909–922
ALLEN, RUTH F.:
A Cytological Study of Heterothallism in Flax Rust 765–791
A Cytological Study of Heterothallism in *Puccinia sorghi* 1047–1068
ALLISON, FRANKLIN E., HOOVER, SAM R.; and MORRIS, HERMAN J.: Nitrogen Fixation Studies with Fungi and *Actinomyces* 1115–1123
Amino acids, content of soybean protein, determination 279–281
Ammonia, production by fermentation of tobacco, study 149–150, 157–158
Amsinckia, nematosis of, caused by a new variety of *Anguillulina dipsaci*. G. Steiner and C. E. Scott 1087–1092
Anguillulina—
dipsaci—
hosts 1087
new variety of, cause of nematosis of *Amsinckia*. G. Steiner and C. E. Scott 1087–1092
var. *amsinckiae*, n. var., comparison with other forms, and description 1087–1092
phyllobia, n. sp., occurrence and habits, morphology 760–762
pratensis, distribution and host relationship 756–757
pustulicola, n. sp., distribution and morphology 757–760

Page

Anthesis, in *Sorghum* 123–133
Antiseptics, effect on tobacco fermentation 147–149, 151, 157–158
Aphids, agents in transmission of tobacco mosaic virus from different hosts. Ismé A. Hoggan 1135–1142
Apis mellifica, worker, imago of, changes in total nitrogen content during life 21–28
Apple—
fruits, penetration by petroleum oil 565–566, 568
leaves, penetration by petroleum oil 561–564, 566–567, 568
petroleum oils in, penetration, distribution and effects. Paul A. Young 559–571
plants, cork formations on, relation to fire-blight resistance 301–309, 310
resistance to fire blight, studies. Luther Shaw 283–313
shoots—
environment, effect on fire-blight resistance 290–296, 309–310
internal, host conditions, relation to fire-blight resistance 296–309, 310
moisture content, relation to fire-blight resistance, study 297–301
tissues, oils in, examples 564
Apples—
prestorage treatments, effect on scald and breakdown, experiments 57–69
soft scald and soggy break-down of. Charles Brooks and C. P. Harley 55–69
Artichoke byproduct, fermentation for production of propionic acid, experiments 1020–1022
Aspen, Minnesota, heart rot in, percentage, statistical analyses for finding a simple estimating method. R. M. Brown 929–942
Aspergillus, nitrogen fixation, study 1115–1119
Auto-irrigation, efficacy, comparison with surface irrigation 120
Auto-irrigator apparatus, some improvements in. L. A. Richards and H. L. Blood 115–121
Avocado—
inoculation with—
Botryosphaeria ribes, results 469, 471–472
Sphaceloma perseae, experiments 864–865, 866–868
scab, caused by *Sphaceloma perseae*. Anna E. Jenkins 859–869

Bacterial—
blight of carrot. James B. Kendrick 493–510
wilt, resistance in alfalfa, genetics of. R. A. Brink, F. R. Jones, and H. R. Albrecht 635–642
Bacterium pruni—
cause of disease of English Morello cherry. John C. Dunegan 745–754
pathogenicity and identification 746–751
BAKER, FRANCIS E., and FLEMING, WALTER E.:
Testing Contact Insecticides on the Japanese Beetle, and Results with Some Sodium and Potassium Soaps 29–38
The Effectiveness of Stomach-Poison Insecticides on the Japanese Beetle 39–44
Bark beetles, in felled Norway pine timber, relationships of blue-staining fungi to. J. G. Leach, L. W. Orr, and Clyde Christensen 315–341
Barley—
feeding to sows, effects on reproduction, study 943–952
vitamin-A deficiency, studies 943–952
Bean, Great Northern field, resistance to common bean mosaic. W. H. Pierce 183–188

BEAUDETTE, F. R.; HUDSON, C. B.; and SAXE, A. HOWARD: An Outbreak of Fowl Plague in New Jersey in 1929 — Page 83-92

Beaufort scale of wind force, adaptation for use on forested areas of northern Rocky Mountains. George M. Jemison — 77-82

BETHKE, R. M.; RECORD, P. R.; and WILDER, O. H. M.—
- Effect of Method of Manufacture on the Nutritive Value of Fishmeals as Determined by Growth Studies with Chicks — 715-722
- Effect of Method of Manufacture on the Nutritive Value of Fishmeals as Determined by Nitrogen-Balance Studies with Rats — 723-730

BLANK, L. M., and WALKER, J. C.: Fusarium-Resistant Danish Ballhead Cabbage — 983-989

Blister rust—
- damage to white pine at Garibaldi, British Columbia — 239-249
- white pine, spread in Pacific Northwest, relation to development of *Ribes*, studies — 93-114

BLOOD, H. L., and RICHARDS, L. A.: Some Improvements in Auto-Irrigator Apparatus — 115-121

Botryosphaeria ribis, host range—
- and history — 467-468
- inoculations showing. Clayton O. Smith. 467-476

Bouteloua gracilis, botanical analysis, comparison of methods — 815-842

BRINK, R. A.; JONES, F. R.; and ALBRECHT, H. R.: Genetics of Resistance to Bacterial Wilt in Alfalfa — 635-642

British Columbia, Garibaldi, *Pinus monticola*, damage done by *Cronartium ribicola*. H. G. Lachmund — 239-249

BROOKS, CHARLES, and HARLEY, C. P.: Soft Scald and Soggy Breakdown of Apples — 55-69

BROWN, R. M.: Statistical Analyses for Finding a Simple Method for Estimating the Percentage Heart Rot in Minnesota Aspen — 929-942

BRUNSON, ARTHUR M., and LATSHAW, W. L.: Effect of Failure of Pollination on Composition of Corn Plant — 45-53

Bulls, dairy, gonadial tissue, transplanting results. Fred W. Miller, R. R. Graves, and G. T. Creech — 259-278

BURRELL, R. W., and ALLEN, H. W.: Methods of Obtaining Emergence of *Tiphia* Adults from Imported Cocoons for Use against the Japanese Beetle — 909-922

Butterfat percentage—
- dam's and daughter's, relation between. 444-447, 462
- grandparents' and granddaughters, relation between — 447-455
- Jersey cattle, influence of inheritance and environment on. John W. Gowen — 433-465

Cabbage—
- anatomy, normal and pathological — 613-621
- Danish Ballhead, fusarium-resistant. J. C. Walker and L. M. Blank — 983-989
- infection by *Plasmodiophora brassicae*, study — 608-613, 616-623
- varieties, resistance to yellows, comparison — 986

Cajanus indicus, natural crossing in — 923-927

Camphor—
- foliage, spraying, quantity of oil retained, study — 4-6, 13-14
- scale, mortality from spraying, determination — 6-8, 11, 14-17

Carbon dioxide, formation by fermentation of tobacco — 150

Carrot—
- bacterial blight—
  - causal organism, tests and description. 499-505
  - damage to seed crop — 497-499
  - of. James B. Kendrick — 493-510
  - symptoms — 493-497
- seed, source of bacterial blight infection. 507-508, 509

Carrots, inoculation with bacterial blight pathogene — 505-506

Catalase— Page
- activity, relation to age and viability of sclerotia of the cotton root-rot fungus. C. J. King, E. D. Eaton, and Claude Hope — 897-902
- determination in sclerotia of cotton root-rot fungus, method — 898-899

Cattle—
- dairy—
  - gonadial tissue, grafting, experiments. 259-278
  - heredity and environment, relative influence on milk yield and butterfat percentage — 458-461
- Jersey—
  - assortive mating, measures for milk yield and butterfat percentage — 455-458
  - milk production and butterfat percentage, influence of inheritance and environment on. John W. Gowen. 433-465

Ceratostomella ips, association with bark beetles in Norway pine — 328-331

Cherry—
- English Morello, disease of, caused by *Bacterium pruni*. John C. Dunegan. 745-754
- leaf-spot fungus, injury, comparison with effects of *Bacterium pruni* — 746-747

Chickens, inoculation with fowl plague virus, experiments — 84-85, 86-90

Chicks—
- growth studies, use to determine effect of method of manufacture on nutritive value of fish meals. P. R. Record, R. M. Bethke, and O. H. M. Wilder — 715-722
- leg paralysis, experiments with various rations — 717-721

Cholodny method, use in study of soil microflora — 1099-1103, 1109-1113

CHRISTENSEN, CLYDE; LEACH, J. G.; and ORR, L. W.: The Interrelationships of Bark Beetles and Blue-Staining Fungi in Felled Norway Pine Timber — 315-341

Chromosome number and meiotic behavior in *Gossypium*. J. M. Webber — 223-237

Cinnamomum camphora, spraying in study of efficiency of oil emulsions — 1-18

Citrus—
- inoculation with—
  - *Botryosphaeria ribis*, experiments... 469, 470, 471
  - *Sphaceloma perseae*, experiments... 865-866, 867
- scale insects, chemical composition of, relation to their resistance to hydrocyanic acid fumigation. A. R. C. Haas — 477-492

Clover—
- injury by potato leaf hopper, symptoms, artificial production — 385-392
- leaflets—
  - excised, dry weight and respiration of, effect of mildew and rust infection on. Cecil E. Yarwood — 549-558
  - mildewed and rusted—
    - absorption of sucrose — 557-558
    - dry weight and respiration — 552-554
  - respiration, effect of sulphur dusting... 556-557
- leaves, changes after—
  - injury by live steam, study — 397-399
  - potato leaf-hopper injury, study — 392-397
- red, infusions, forms of nitrogen in. Walter S. Eisenmenger — 375-378
- susceptibility to mildew and rust infection, experiments — 549-558

Corn—
- host of *Puccinia sorghi*, studies... 1047, 1056-1058
- infusions, forms of nitrogen in. Walter S. Eisenmenger — 375-378
- inoculation with *Pythium arrhenomanes*, experiments — 204-210
- meal, fermentation for production of propionic acid, experiments — 1020-1022
- pollination, failure, effect on composition of plants. Arthur M. Brunson and W. L. Latshaw — 45-53
- responses to fertility levels and seasons, studies — 991-999
- root rot, variability of *Pythium arrhenomanes* in relation to. R. D. Rands and Ernest Dopp — 189-221
- seedling disease, caused by *Gibberella moniliformis*, histological studies. R. K. Voorhees — 1009-1015

Corn—Continued. Page
seedlings, inoculation with *Gibberella moniliformis*, experiments 1010–1011
varieties, differential response to fertility levels and seasons. G. H. Stringfield and Robert M. Salter 991–1000
Cotton—
chromosome number and meiotic behavior 223–236
crop losses from *Phymatotrichum* root rot. Walter N. Ezekiel and J. J. Taubenhaus 843–858
pollen, storage. George J. Harrison and H. J. Fulton 891–896
root rot—
fungus—
in the soil, study by Cholodny method. E. D. Eaton and C. J. King 1109–1113
morphology and life history of, in Texas. David C. Neal, R. E. Wester, and K. C. Gunn 539–548
new sclerotia, formation 536
ozonium stage, morphological studies. 539–542
persistent strands of, in Texas. Homer C. McNamara, R. E. Wester, and K. C. Gunn 531–538
sclerotia of, age and viability, relation to catalase activity. C. J King, E. D. Eaton, and Claude Hope 897–902
sclerotial stage, morphological studies. 542–543
sclerotial stage, overwintering tests.. 546–547
hyphae—
growth from strands 536–537
overwintering stage 543–546
manurial control, microbiological activities affected. C. J. King, Claude Hope, and E. D. Eaton 1093–1107
sclerotia, longevity, relation to soil moisture. C. J. King and E. D. Eaton 793–796
yields, relation to prevalence of root rot, experiments 846–851
See also *Gossypium*.
Cows, dairy, gonadial tissue, transplanting, results. Fred W. Miller, R. R. Graves, and G. T. Creech 259–278
Crane, H. L., and Hardy, Max B.: Interrelation between Cultural Treatment of Pecan Trees, the Size and Degree of Filling of the Nuts, and the Composition of Kernels 643–661
Creech, G. T.; Miller, Fred W.; and Graves, R. R.: Results of Transplanting Gonadial Tissue in Dairy Cows and Bulls 259–278
Cressman, A. W., and Dawsey, Lynn H.: Oil Retention, Oil Emulsifier Ratio, and Oil-Water Ratio as Affecting the Insecticidal Efficiency of Emulsions 1–19
Cronartium ribicola—
damage to *Pinus monticola* at Garibaldi, British Columbia. H. G. Lachmund 239–249
spread in Pacific Northwest, effect of seasonal development of *Ribes* on. H. G. Lachmund 93–114
Crossing, natural, in pigeonpeas. C. P. Wilsie and Makoto Takahashi 923–927
Crucifers, wound infection and tissue invasion by *Plasmodiophora brassicae* 607–623
Csonka, Frank A., and Jones, D. Breese: The Cystine, Tryptophane and Tyrosine Content of the Soybean 279–282
Cucumber mosaic virus, spread by aphids, studies 1137–1140
Currants, development, relation to spread of *Cronartium ribicola* in pine areas, studies 93–114
Cystine content of soybean. Frank A. Csonka and D. Breese Jones 279–282

Dairy cattle. *See* Cattle, dairy.
Dam, dairy, influence on milk production and butterfat percentage 440–444, 462
Dawsey, Lynn H., and Cressman, A. W.: Oil Retention, Oil-Emulsifier Ratio and Oil-Water Ratio as Affecting the Insecticidal Efficiency of Emulsions 1–19
Derris— Page
sprays, efficacy in control of gladiolus thrips, experiments 367–370, 371
use in control of gladiolus thrips, in combination with other poisons and molasses, studies. Henry H. Richardson 359–373
Diameter distributions for old-field loblolly pine stands in Maryland. G. Luther Schnur 731–743
Diets, vitamin-A-deficient, effects on reproduction of sows. E. H. Hughes 943–953
Dopp, Ernest, and Rands, R. D.: Variability in *Pythium arrhenomanes* in Relation to Root Rot of Sugarcane and Corn 189–221
Drechsler, Charles: *Pythium sclerotiechum*, N. Sp. Causing Mottle Necrosis of Sweetpotatoes 881–890
Dunegan, John C.: A Disease of the English Morello Cherry Caused by *Bacterium pruni* 745–754
Dyes, effect on yeast fermentation as influenced by hydrogen-ion concentration. Esther Adams and William J. Robbins 1025–1031

Eaton, E. D., and King, C. J.—
A Study of the Cotton Root-Rot Fungus (*Phymatotrichum omnivorum*) in the Soil by the Cholodny Method 1109–1113
Influence of Soil Moisture on Longevity of Cotton Root-Rot Sclerotia 793–798
and Hope, Claude—
Catalase Activity in Relation to Age and Viability of Sclerotia of the Cotton Root-Rot Fungus 897–902
Some Microbiological Activities Affected in Manurial Control of Cotton Root Rot 1093–1107
Egg weight, relation to sexual maturity in domestic fowl. E. M. Funk 1033–1039
Eisenmenger, Walter S.: The Forms of Nitrogen in Infusions of Corn, Timothy, Red Clover, Tobacco, and Redtop 375–378
Empoasca fabae injury, hypothesis of overaccumulation of carbohydrates 382–385, 402, 404
Emulsions—
insecticidal efficiency, effects of oil retention, oil-emulsifier ratio, and oil-water ratio. A. W. Cressman and Lynn H. Dawsey 1–19
oil concentration, effect upon insecticidal efficiency 9–12, 15–17
Environment, effect on milk yield of dairy cattle, comparison with heredity 458–461
Epitrix cucumeris—
larvae and eggs, culture 252–255
relation to common scab infection of potatoes 251–257
Erysiphe polygoni, cause of red clover mildew 349
Erwinia amylovora, resistance of rosaceous plants to, study 283–312
Ezekiel, Walter N., and Taubenhaus, J. J.: Cotton Crop Losses from *Phymatotrichum* Root Rot 843–858

Fellows, Hurley, and Ficke, C. H.: Effects on Wheat Plants of *Ophiobolus graminis* at Different Levels in the Soil 871–880
Fermentation—
agricultural byproducts for production of propionic acid. H. G. Wood and C. H. Werkman 1017–1024
of tobacco, studies. James Johnson 137–160
of yeast, effect of dyes on, as influenced by hydrogen-ion concentration. Esther Adams and William J. Robbins 1025–1031
Ferrous iron, occurrence in phosphate rock. H. L. Marshall 71–76
Fertilization in *Sorghum* 133–136
Fertilizers—
effects on pecan nuts, experiments 650–660
response of corn varieties to, study 992–999
Ficke, C. H., and Fellows, Hurley: Effects on Wheat Plants of *Ophiobolus graminis* at Different Levels in the Soil 871–880
Fire blight, resistance of apple and other rosaceous plants to, studies. Luther Shaw 283–313

Page

Fishmeals, nutritive value as determined by—
growth studies with chicks, relation to manufacturing method. P. R. Record, R. M. Bethke, and O. H. M. Wilder... 715–722
nitrogen-balance studies with rats, relation to manufacturing method. O. H. M. Wilder, R. M. Bethke, and P. R. Record... 723–730
Flax rust—
heterothallism, cytological study. Ruth F. Allen... 765–791
sexual reproduction, comparison with other fungi... 787–788
FLEMING, WALTER E., and BAKER, FRANCIS E.—
Testing Contact Insecticides on the Japanese Beetle, and Results with Some Sodium and Potassium Soaps... 29–38
The Effectiveness of Stomach-Poison Insecticides on the Japanese Beetle... 39–44
Fluorine feeding, effect on the storage of vitamin C in the rat and guinea pig. Hazel M. Hauck... 1041–1046
Forage legumes, injury by potato leaf hopper, nature. Howard W. Johnson... 379–406
Forest—
areas, northern Rocky Mountains, use of revised Beaufort scale of wind force. George M. Jemison... 77–82
trees, isolated, distribution of soil moisture under. Herbert A. Lunt... 695–703
Fowl—
domestic, egg weight, relation of sexual maturity to. E. M. Funk... 1033–1039
plague, outbreak in New Jersey in 1929. F. R. Beaudette, C. B. Hudson, and A. Howard Saxe... 83–92
FULTON, H. J., and HARRISON, GEORGE J.: Storage of Cotton Pollen... 891–896
Fumigation—
by hydrocyanic acid, of citrus scale insects, relation between their chemical composition and resistance. A. R. C. Haas... 477–492
citrus trees, resistance of scale insects to, investigations... 477–491
Fungi—
blue-staining, in felled Norway pine timber, relationships of bark beetles to. J. G. Leach, L. W. Orr, and Clyde Christensen... 315–341
nitrogen fixation studies. Franklin E. Allison, Sam R. Hoover, and Herman J. Morris... 1115–1123
FUNK, E. M.: The Relation of Sexual Maturity and Egg Weight in the Domestic Fowl... 1033–1039
Fusarium, resistance of Danish Ballhead cabbage to. J. C. Walker and L. M. Blank... 983–989

Galls, fruit, of *Amsinckia intermedia*, caused by new variety of *Anguillulina dipsaci*, studies... 1087–1092
Genetics of resistance to bacterial wilt in alfalfa. R. A. Brink, F. R. Jones, and H. R. Albrecht... 635–642
Gibberella moniliformis, cause of seedling disease of corn, histological studies. R. K. Voorhees... 1009–1015
Gladiolus thrips, control by derris, nicotine, paris green, and other poisons in combination with molasses, studies. Henry H. Richardson... 359–373
Glucose, fermentation for production of propionic acid, experiments... 1018, 1019
Gluten meal, fermentation for production of propionic acid, experiments... 1019–1021, 1023
Gossypium—
aneuploidy, discussion... 235
chromosome number and meiotic behavior. J. M. Webber... 223–237
See also Cotton.
GOWEN, JOHN W.: The Influence of Inheritance and Environment on the Milk Production and Butterfat Percentage of Jersey Cattle... 433–465

Page

Grain, production in corn plants, effect of pollination on, studies... 45–53
Graphium spp., infestation of Norway pine... 328
Grasses, mixed prairie, botanical analysis, comparison of methods... 815–842
Grassland—
investigations in western North Dakota... 815–841
vegetation, botanical analysis, comparison of methods... 815–842
GRAVES, R. R.; MILLER, FRED W.; and CREECH, G. T.: Results of Transplanting Gonadial Tissue in Dairy Cows and Bulls... 259–278
Great Plains, prairie grasses, botanical analysis, comparison of methods... 815–842
Guinea pig, vitamin C storage in, effect of fluorine feeding on. Hazel M. Hauck... 1041–1046
GUNN, K. C.; WESTER, R. E., and MCNAMARA, HOMER C.: Persistent Strands of the Cotton Root-Rot Fungus in Texas... 531–538
NEAL, DAVID C. Morphology and Life History of the Cotton Root-Rot Fungus in Texas... 539–548

HAAS, A. R. C.: Relation between the Chemical Composition of Citrus Scale Insects and Their Resistance to Hydrocyanic Acid Fumigation... 477–492
HANSON, HERBERT C.: A Comparison of Methods of Botanical Analysis of the Native Prairie in Western North Dakota... 815–842
HARDY, MAX B., and CRANE, H. L.: Interrelation between Cultural Treatment of Pecan Trees, the Size and Degree of Filling of the Nuts, and the Composition of Kernels... 643–661
HARLEY, C. P., and BROOKS, CHARLES: Soft Scald and Soggy Break-Down of Apples... 55–69
HARRISON, GEORGE J., and FULTON, H. J.: Storage of Cotton Pollen... 891–896
HAUCK, HAZEL M.: The Effect of Fluorine Feeding on the Storage of Vitamin C in the Rat and Guinea Pig... 1041–1046
HAYDAK, MYKOLA H.: Changes in Total Nitrogen Content during the Life of the Imago of the Worker Honeybee... 21–28
Heart rot, in Minnesota aspen, percentage of, statistical analyses for finding a simple method for estimating. R. M. Brown... 929–942
Heat, effect on tobacco fermentation... 147–149, 157, 158
Hellebore sprays, efficacy in control of gladiolus thrips, experiments... 370, 371
Heredity, in dairy cattle, effect on milk yield, comparison with environment... 458–461
Heterothallism in—
flax rust, cytological study. Ruth F. Allen... 765–791
Puccinia sorghi, cytological study. Ruth F. Allen... 1047–1068
Hicoria pecan. *See* Pecan.
HOGGAN, ISMÉ A.: Transmissibility by Aphids of the Tobacco Mosaic Virus from Different Hosts... 1135–1142
Honeybee worker, imago of, changes in total nitrogen content during life. Mykola H. Haydak... 21–28
HOOVER, SAM R.; ALLISON, FRANKLIN E.; and MORRIS, HERMAN J.: Nitrogen Fixation Studies with Fungi and *Actinomyces*... 1115–1123
HOPE, CLAUDE: KING, C. J.; and EATON, E. D.—
Catalase Activity in Relation to Age and Viability of Sclerotia of the Cotton Root-Rot Fungus... 897–902
Some Microbiological Activities Affected in Manurial Control of Cotton Root Rot... 1093–1107
HORSFALL, J. G.; KERTESZ, Z. I.; and ROUSE, A. H.: Aberration in the Chemical Composition of Peas from Plants Affected with Root Rot... 799–814

HUBBARD, V. C., and STANTON, T. R.: Influence of Smut Infection on Plant Vigor and Other Characters in Smut-Resistant Oat Varieties — Page 903–908

HUDSON, C. B.: BEAUDETTE, F. R.; and SAXE, A. HOWARD: An Outbreak of Fowl Plague in New Jersey in 1929 — 83–92

HUGHES, E. H.: Some Effects of Vitamin-A-Deficient Diets on Reproduction of Sows — 943–953

Humidity—
- atmospheric, effect on fire-blight resistance in apple shoots — 294–296, 309–310
- effect on blooming of sorghum flowers, study — 129–130, 131–132

HURD-KARRER, ANNIE M: Selenium Injury to Wheat Plants and Its Inhibition by Sulphur — 343–357

Hydrocyanic acid fumigation of citrus scale insects, relation between their chemical composition and resistance. A. R. C. Haas — 477–492

Hydrogen-ion concentration, influence upon effect of dyes on yeast fermentation. Esther Adams and William J. Robbins — 1025–1031

Hydrol, fermentation for production of propionic acid, experiments — 1019–1022

Inbreeding, alfalfa, effects on viability. George Stewart — 669–694

Inheritance of—
- awn development in sorghums. J. B. Sieglinger, A. F. Swanson, and J. H. Martin — 663–668
- characters in *Triticum vulgare* crosses, studies — 573–603
- color in Duroc-Jersey swine, studies — 625–633
- quality in Trumbull and Michikof varieties of winter wheat. W. W. Worzella — 705–714

Insecticidal efficiency of emulsions, effects of oil retention, oil-emulsifier ratio, and oil-water ratio. A. W. Cressman and Lynn H. Dawsey — 1–19

Insecticides—
- contact, testing on Japanese beetle, and results with some sodium and potassium soaps. Walter E. Fleming and Francis E. Baker — 29–38
- effectiveness against gladiolus thrips, tests — 359–372
- stomach-poison, effectiveness on Japanese beetle. Walter E. Fleming and Francis E. Baker — 39–44

Ipomoea batatas, mottle necrosis of, caused by *Pythium sclerotelchum* n. sp — 881–890

Ips beetles, relation to blue-staining fungi in Norway pine, experiments — 317–339

Iron, ferrous—
- in phosphate rock, determination, sources of error — 71–72
- occurrence in phosphate rock. H. L. Marshall — 71–76

Irrigation—
- surface, efficacy, comparison with auto-irrigation — 120
- water, movement in soil, effect of air on — 1125–1133

Japanese beetle—
- attack on plants susceptible because of sugar content and odor of clarified extracts. F. W. Metzger, P. A. van der Meulen, and C. W. Mell — 1001–1008
- contact insecticides on, testing and results with sodium and potassium soaps. Walter E. Fleming and Francis E. Baker — 29–38
- control by use of *Tiphia* adults emerged from imported cocoons, methods. H. W. Allen and R. W. Burrell — 909–922
- effectiveness of stomach-poison insecticides on. Walter E. Fleming and Francis E. Baker — 39–44
- susceptibility to insecticides, variation during season — 32–33

JEMISON, GEORGE M.: Beaufort Scale of Wind Force as Adapted for Use on Forested Areas of the Northern Rocky Mountains — Page 77–82

JENKINS, ANNA E.: *Sphaceloma perseae*, the Cause of Avocado Scab — 859–869

JOHNSON, D. W., and PALMER, L. S.: The Nutritive Properties of Protein, Vitamins B and G, and the Germ in Rye — 169–181

JOHNSON, HOWARD W.: Nature of Injury to Forage Legumes by the Potato Leaf Hopper — 379–406

JOHNSON, JAMES: Studies on the Fermentation of Tobacco — 137–160

JOHNSTON, C. O., and MILLER, E. C.: Relation of Leaf-Rust Infection to Yield, Growth, and Water Economy of Two Varieties of Wheat — 955–981

JONES, D. BREESE, and CSONKA, FRANK A.: The Cystine, Tryptophane, and Tyrosine Content of the Soybean — 279–282

JONES, F. R., BRINK, R. A., and ALBRECHT, H. R.: Genetics of Resistance to Bacterial Wilt in Alfalfa — 635–642

Juglandaceae, hosts of *Botryosphaeria ribis*, inoculation experiments — 468–469, 470, 471

KENDRICK, JAMES B.: Bacterial Blight of Carrot — 493–510

KERTESZ, Z. I., HORSFALL, J. G., and ROUSE, A. H.: Aberrations in the Chemical Composition of Peas from Plants Affected with Root Rot — 799–814

KING, C. J., and EATON, E. D.—
- A Study of the Cotton Root-Rot Fungus (*Phymatotrichum omnivorum*) in the Soil by the Cholodny Method — 1109–1113
- Influence of Soil Moisture on Longevity of Cotton Root-Rot Sclerotia — 793–798

and HOPE, CLAUDE—
- Catalase Activity in Relation to Age and Viability of Sclerotia of the Cotton Root-Rot Fungus — 897–902
- Some Microbiological Activities Affected in Manurial Control of Cotton Root Rot — 1093–1107

LACHMUND, H. G.—
- Damage to *Pinus monticola* by *Cronartium ribicola* at Garibaldi, British Columbia — 239–249
- Seasonal Development of *Ribes* in Relation to Spread of *Cronartium ribicola* in the Pacific Northwest — 93–114

LARSON, RUSSELL H.: Wound Infection and Tissue Invasion by *Plasmodiophora brassicae* — 607–624

LATSHAW, W. L., and BRUNSON, ARTHUR M.: Effect of Failure of Pollination on Composition of Corn Plants — 45–53

LEACH, J. G.; ORR, L. W.; and CHRISTENSEN, CLYDE: The Interrelationships of Bark Beetles and Blue-Staining Fungi in Felled Norway Pine Timber — 315–341

Lead arsenate—
- concentrations of, effectiveness against Japanese beetle — 41
- insecticidal action on Japanese beetle, effect of stickers on — 41–42

LECLERG, E. L.: Parasitism of *Rhizoctonia solani* on Sugar Beet — 407–431

Legumes, forage, injury by potato leaf hopper, nature. Howard W. Johnson — 379–406

Light—
- effect on pecan root growth — 513
- influence on blooming of sorghum flowers, study — 129–131

Liver meal, proteins, biological values, study — 170–173

LUNT, HERBERT A.: Distribution of Soil Moisture under Isolated Forest Trees — 695–703

Manure, application to soil for corn, response, study — 992–1000

Manures, organic, efficacy in control of root-rot disease, experiments — 1093–1105

Manurial control of cotton root rot, microbiological activities affected. C. J. King, Claude Hope, and E. D. Eaton ..... Page 1093–1107
MARSHALL, H. L.: The Occurrence of Ferrous Iron in Phosphate Rock 71–76
MARTIN, J. H.; SIEGLINGER, J. B.; and SWANSON, A. F.: Inheritance of Awn Development in Sorghums 663–668
Maryland, loblolly pine stands, old-field, diameter distributions for. Luther G. Schnur 731–743
Mating, assortive, of Jersey cattle, measures for milk yield and butterfat percentage 455–458
MCNAMARA, HOMER C.; WESTER, R. E.; and GUNN, K. C.: Persistent Strands of the Cotton Root-Rot Fungus in Texas 531–538
Medicago sativa. *See* Alfalfa.
Melampsora lini—
aecia, description 781–783, 786–787
life cycle, description 766–767
mycelium, description 767–769, 783–785, 786, 787–788
nonaecial infection of flax, study 772–773
spermatia, description 773–781, 785–788
spermogonia, description 769–771, 784
See also Flax rust.
MELL, C. W.; METZGER, F. W.; and VAN DER MEULEN, P. A.: The Relation of the Sugar Content and Odor of Clarified Extracts of Plants to Their Susceptibility to Attack by the Japanese Beetle 1001–1008
METZGER, F. W.; VAN DER MEULEN, P. A.; and MELL, C. W.: The Relation of the Sugar Content and Odor of Clarified Extracts of Plants to Their Susceptibility to Attack by the Japanese Beetle 1001–1008
Mildew infection of excised clover leaflets, effect on dry weight and respiration. Cecil E. Yarwood 549–558
Milk—
fermentation for production of propionic acid 1019–1023
production, Jersey cattle, influence of inheritance and environment on. John W. Gowen 433–465
yield—
dam's and daughter's, relation between 444–447, 462
grandparents' and granddaughters', relation between 447–455
MILLER, CAREY D., and ROBBINS, RUTH C.: The Nutritive Value of Green Immature Soybeans 161–167
MILLER, E. C., and JOHNSTON, C. O.: Relation of Leaf-Rust Infection to Yield, Growth, and Water Economy of Two Varieties of Wheat 955–981
MILLER, FRED W.; GRAVES, R. R.; and CREECH, G. T.: Results of Transplanting Gonadial Tissue in Dairy Cows and Bulls 259–278
Moisture—
effect on tobacco fermentation 143–144, 157
soil, effect on fire-blight resistance in apple shoots 292–294
Molasses—
blackstrap, fermentation for production of propionic acid, experiments 1019–1023
use in control of gladiolus thrips, in combination with derris, nicotine, paris green, and other poisons, studies. Henry H. Richardson 359–373
MORRIS, HERMAN J.; ALLISON, FRANKLIN E.; and HOOVER, SAM R.: Nitrogen Fixation Studies with Fungi and *Actinomyces* 1115–1123
Mosaic—
diseases, of beans, resistence of Great Northern field variety 183–188
virus, of tobacco, transmission by aphids, to different hosts. Ismé A. Hoggan 1137–1142
Mosquitoes, transmission of fowl plague, experiments 90–91
NEAL, DAVID C.; WESTER, R. E.; and GUNN, K. C.: Morphology and Life History of the Cotton Root-Rot Fungus in Texas ..... Page 539–548
Necrosis, mottle, of sweetpotatoes, caused by *Pythium sclerotelchum*, n. sp. Charles Drechsler 881–890
Nemas, plant-parasitic, three new species, descriptions. Gerald Thorne 755–763
Nematosis of *Amsinckia* caused by a new variety of *Anguillulina dipsaci*. G. Steiner and C. E. Scott 1087–1092
Neotylenchus obesus, n. sp., distribution and morphology 762–763
New Jersey, fowl plague outbreak in 1929. F. R. Beaudette, C. B. Hudson, and A. Howard Saxe 83–92
Nicotine—
sprays, use in control of gladiolus thrips, experiments 361–364
use in control of gladiolus thrips, in combination with other poisons and molasses, studies. Henry H. Richardson 359–373
Nitrogen—
balance studies with rats, indication of effect of method of manufacture on nutritive value of fishmeals. O. H. M. Wilder, R. M. Bethke, and P. R. Record 723–730
content, imago of worker honeybee, changes during life. Mykola H. Haydak 21–28
fixation, studies with fungi and *Actinomyces*. Franklin E. Allison, Sam R. Hoover, and Herman J. Morris 1115–1123
forms in infusions of corn, timothy, red clover, tobacco, and redtop. Walter S. Eisenmenger 375–378
NORDBY, JULIUS E.: White Spotting in Duroc-Jersey Swine 625–634
North Dakota, western, native prairie, botanical analysis, comparison of methods. Herbert C. Hanson 815–842

Oats, covered-smut infection, influence on plant vigor and other characteristics in smut-resistant varieties. V. C. Hubbard and T. R. Stanton 903–908
Oil—
emulsifier ratio, effect on insecticidal efficiency of emulsions. A. W. Cressman and Lynn H. Dawsey 1–19
retention, effect on insecticidal efficiency of emulsions. A. W. Cressman and Lynn H. Dawsey 1–19
sprays, effect on apples, studies 559–570
water ratio, effect on insecticidal efficiency of emulsions. A. W. Cressman and Lynn H. Dawsey 1–19
Oils, undiluted, in apple leaves, bark, and buds, symptoms 566–568, 569
Ophiobolus graminis—
at different levels in the soil, effects on wheat plants. Hurley Fellows and C. H. Ficke 871–880
depth in naturally infested field soil 872–873
infection of wheat—
field studies 879–880
greenhouse studies 873–879
ORR, L. W.; LEACH, J. G.; and CHRISTENSEN, CLYDE: The Interrelationships of Bark Beetles and Blue-Staining Fungi in Felled Norway Pine Timber 315–341
Oxalis, host of *Puccinia sorghi*, studies 1047–1060

Pacific Northwest, *Ribes*, seasonal development in relation to spread of *Cronartium ribicola*. H. G. Lachmund 93–114
Palmaceae, inoculation with *Botryosphaeria ribis*, experiments 468–469, 472, 473, 474
PALMER, L. S., and JOHNSON, D. W.: The Nutritive Properties of Protein, Vitamins B and G, and the Germ in Rye 169–181

Paris green— Page
sprays, efficacy in control of gladiolus thrips, experiments 364-366, 371
use in control of gladiolus thrips, in combination with other poisons and molasses, studies. Henry H. Richardson 359-373
Peas—
carbohydrate content, effect of root rot 807-811, 812-813
chemical composition, effect of root rot 799-813
from plants affected with root rot, aberrations in chemical composition. Z. I. Kertesz, J. G. Horsfall, and A. H. Rouse 799-814
root rot, effect on chemical composition 790-813
Pecan—
kernels—
carbohydrate content, determination 646-647
composition, interrelation with cultural treatment of trees and size and degree of filling of nuts. H. L. Crane and Max B. Hardy 643-661
nitrogen content, determination 646
oil content, determination 646
nuts, size and degree of filling, interrelation with cultural treatment of trees and composition of kernels. H. L. Crane and Max B. Hardy 643-661
root growth—
abnormalities 527-528
and development. J. G. Woodroof and Naomi C. Woodroof 511-530
roots—
anatomy, description 519-527
growth, effect of environment on 513-519, 530
spread in soil 511-513
trees—
cultural treatment, interrelation with size and degree of filling of nuts and composition of kernels. H. L. Crane and Max B. Hardy 643-661
pruning, effects on nuts, experiments 644, 647-649, 652-655, 658
transplanted, root development 527
Peniophora gigantea, infestation of pine logs 322, 325
Percolation, rate, effect of air on 1125-1129
Petroleum oils—
penetration, distribution, and effects upon apple. Paul A. Young 559-571
toxicity to apple, discussion 568-569
Phaseolus vulgaris, susceptibility to mosaic disease, studies 183-188
Phosphate rock—
analysis for ferrous iron, methods and results 72-75
ferrous iron content. H. L. Marshall 71-76
Phymatotrichum—
omnivorum—
activities in manured and unmanured plots, experiments 1093-1105, 1109-1113
cause of cotton root-rot disease, studies 531-547
in soil, study by Cholodny method. E. D. Eaton and C. J. King 1109-1113
morphology and life history in Texas 539-547
sclerotia of, germination studies 793-798
See also Cotton root-rot fungus.
root rot, of cotton, crop losses from. Walter N. Ezekiel and J. J. Taubenhaus 843-858
Phytomonas insidiosa, cause of bacterial wilt 635
PIERCE, W. H.: Resistance to Common Bean Mosaic in the Great Northern Field Bean 183-188
Pigeonpeas, natural crossing in. C. P. Wilsie and Makoto Takahashi 923-927
Pigs—
feeding with barley, experiments 946-952
gonadial tissue, grafting in dairy cattle, experiments 260, 264-267, 274-278
Pine—
loblolly, old-field stands in Maryland, diameter distributions for. G. Luther Schnur 731-743
logs, blue-stain fungi in, introduction by *Ips* spp 319-325
Norway—
felled timber, interrelationships of bark beetles and blue-staining fungi in. J. G. Leach, L. W. Orr, and Clyde Christensen 315-341

Pine—Continued. Page
Norway—Continued.
infestation by blue-staining fungus 331-335
western white, damage by *Cronartium ribicola* at Garibaldi, British Columbia 239-249
white, blister rust. *See* Blister rust.
Pinus—
monticola, damage by *Cronartium ribicola* at Garibaldi, British Columbia. H. G. Lachmund 239-249
resinosa. *See* Pine, Norway.
taeda, old-field stands in Maryland, distributions for 731-743
Pisum sativum. *See* Peas.
Plants, sugar content and odor of clarified extracts, relation to susceptibility of attack by Japanese beetle. F. W. Metzger, P. A. van der Meulen, and C. W. Mell 1001-1008
Plasmodiophora brassicae—
cause of clubroot disease 607
invasion of tissue and wound infection by. Russell H. Larsen 607-624
Poisons—
stomach, effectiveness against Japanese beetle. Walter E. Fleming and Francis E. Baker 39-44
use in control of gladiolus thrips, studies 359-372
Pollen, of cotton, storage. George J. Harrison and H. J. Fulton 891-896
Pollination—
failure in corn, effect on composition of plants. Arthur M. Brunson and W. L. Latshaw 45-53
in *Sorghum* 133-136
incomplete, of corn, effect on weights of plant and plant parts 51
Potassium oleate, effectiveness against Japanese beetle, comparison with sodium oleate 33-34
Potato—
byproducts, fermentation for production of propionic acid, experiments 1020-1022
flea beetle—
larvae as carriers of common scab fungus, investigations 255-256
relation to common scab infection of potatoes. L. A. Schaal 251-258
leaf-hopper injury—
hypothesis of overaccumulation of carbohydrates 382-385, 402, 404
hypotheses of virus and toxin 399-401
to forage legumes, nature. Howard W. Johnson 379-406
Potatoes, scab infection, common, relation of potato flea beetle to. L. A. Schaal 251-258
POWERS, LEROY: The Nature and Interaction of Genes Differentiating Habit of Growth in a Cross between Varieties of *Triticum vulgare* 573-605
POWERS, W. L.: Soil-Water Movement as Affected by Confined Air 1125-1133
Prairie, native, in western North Dakota, botanical analysis, comparison of methods. Herbert C. Hanson 815-842
Propionibacterium arabinosum, use in production of propionic acid from agricultural byproducts 1017-1024
Propionic acid—
industrial production, problems 1018
production by fermentation of agricultural byproducts. H. G. Wood and C. H. Werkman 1017-1024
Protein—
nutritive properties in rye. D. W. Johnson and L. S. Palmer 169-181
rye, and liver meal, biological values 170-173
Prunus cerasus, disease of, caused by *Bacterium pruni* 745-754
Pseudaonidia duplex, mortality from spraying, determination 6-8, 11, 14-17
Pseudomonas carotae, n. sp.—
cause of bacterial wilt of carrot, tests 504
technical description 504-505
Puccinia—
sorghi—
diploidization 1052-1060
haploid infection, development 1048-1052, 1060-1061
heterothallism, cytological study. Ruth F. Allen 1047-1068

Puccinia—Continued.
triticina. *See* Wheat leaf rust. Page
Pyrethrum sprays, efficacy in control of gladiolus thrips, experiments 370-371
Pythium—
arrhenomanes—
cause of sugarcane root rot, studies 189-220
isolation method, identification, and sporulation 191-193
pathogenic relations—
with corn, experiments 204-210
with sugarcane, experiments 210-217
population studies 193-220
variability in relation to root rot of sugarcane and corn. R. D. Rands and Ernest Dopp 189-221
scleroteichum—
cultural characters 883-884
morphology 884-887
n. sp., cause of mottle necrosis of sweet-potatoes. Charles Drechsler 881-890
occurrence 881-883

QUINBY, J. R., and STEPHENS, J. C.: Anthesis, Pollination, and Fertilization in *Sorghum* 123-136

Radish, infection by *Plasmodiophora brassicae*, study 613
RANDS, R. D., and DOPP, ERNEST: Variability in *Pythium arrhenomanes* in Relation to Root Rot of Sugarcane and Corn. 189-221
Rat, vitamin C storage in, effect of fluorine feeding on. Hazel M. Hauck 1041-1046
Rats, nitrogen balance studies, use to determine effect of method of manufacture on nutritive value of fishmeals. O. H. M. Wilder, R. M. Bethke, and P. R. Record. 723-730
RECORD, P. R.; BETHKE, R. M.; and WILDER, O. H. M.—
Effect of Method of Manufacture on the Nutritive Value of Fishmeals as Determined by Growth Studies with Chicks. 715-722
Effect of Method of Manufacture on the Nutritive Value of Fishmeals as Determined by Nitrogen-Balance Studies with Rats 723-730
Redtop infusions, forms of nitrogen in. Walter S. Eisenmenger 375-378
Rhizoctonia solani—
parasitism on sugar beet. E. L. LeClerg. 407-431
pathogenicity studies 413-428
physiological studies 409-413
virulence on various seedling hosts, study 421-429
Ribes—
geographic distribution 97-98
leaves—
inoculation with *Cronartium ribicola*, observations 96-97, 100-111
maturity, factor in susceptibility to *Cronartium ribicola* infection, study. 93-114
phenology 98-100
seasonal development, relation to spread of *Cronartium ribicola* in Pacific Northwest. H. G. Lachmund 93-114
spp.—
infection by *Cronartium ribicola* at Garibaldi, British Columbia, effect. 247-249
See also Currants.
RICHARDS, L. A., and BLOOD, H. L.: Some Improvements in Auto-Irrigator Apparatus 115-121
RICHARDSON, HENRY H.: Studies of Derris, Nicotine, Paris Green, and Other Poisons in Combination with Molasses in the Control of the Gladiolus Thrips 359-373
ROBBINS, RUTH C., and MILLER, CAREY D.: The Nutritive Value of Green Immature Soybeans 161-167
ROBBINS, WILLIAM J., and ADAMS, ESTHER: Effect of Dyes on Yeast Fermentation as Influenced by Hydrogen-Ion Concentration 1025-1031
Rocky Mountains, northern, forested areas, use of revised Beaufort scale of wind force. George M. Jemison 77-82
RODENHISER, H. A.: Studies on the Possible Origin of Physiologic Forms of *Sphaerotheca sorghi* and *S. cruenta* 1069-1086

Root rot—
fungus, of cotton— Page
morphology and life history of, in Texas. David C. Neal, R. E. Wester, and K. C. Gunn 539-548
persistent strands of in Texas. Homer C. McNamara, R. E. Wester, and K. C. Gunn 531-538
of corn, variability of *Pythium arrhenomanes* in relation to. R. D. Rands and Ernest Dopp 189-221
Rosaceae, inoculation with *Botryosphaeria ribis*, experiments 469-470, 471
Rosaceous plants, resistance to fire blight, studies. Luther Shaw 283-313
Rot, heart, in Minnesota aspen, percentage of, statistical analyses for finding, simple method for estimating. R. M. Brown 929-942
ROUSE, A. H.; KERTESZ, Z. I.; and HORSFALL, J. G.: Aberration in the Chemical Composition of Peas from Plants Affected with Root Rot 799-814
Rust—
flax. *See* Flax rust.
infection, excised clover leaflets, effect on dry weight and respiration. Cecil E. Yarwood 549-558
Rye—
amino acid, deficiencies, study 174-176
germ in, nutritive properties. D. W. Johnson and L. S. Palmer 169-181
protein, nutritive properties. D. W. Johnson and L. S. Palmer 169-181
vitamins B and G in, nutritive properties. D. W. Johnson and L. S. Palmer. 169-181

Saccharomyces ceririseae, fermentation, effect of dyes on as influenced by hydrogen-ion concentration 1025-1030
SALTER, ROBERT M., and STRINGFIELD, G. H.: Differential Response of Corn Varieties to Fertility Levels and to Seasons 991-1000
SAXE, A. HOWARD; BEAUDETTE, F. R.; and HUDSON, C. B.: An Outbreak of Fowl Plague in New Jersey in 1929 83-92
Scab—
infection, common, of potatoes, relation of potato flea beetle to. L. A. Schaal 251-258
of avocados, caused by *Sphaceloma perseae*. Anna E. Jenkins 859-869
Scale insects—
control by oil emulsions, experiments 1-18
of citrus, chemical composition of, relation to their resistance to hydrocyanic acid fumigation. A. R. C. Haas 477-492
See also Camphor scale.
SCHAAL, L. A.: Relation of the Potato Flea Beetle to Common Scab Infection of Potatoes 251-258
SCHNUR, G. LUTHER: Diameter Distributions for Old-Field Loblolly Pine Stands in Maryland 731-743
Sclerotia, cotton root-rot fungus, catalase activity in relation to age and viability. C. J. King, E. D. Eaton, and Claude Hope 897-902
SCOTT, C. E., and STEINER, G.: A Nematosis of *Aphelenchoides* Caused by a New Variety of *Anguillulina dipsaci* 1087-1092
Scurvy, in rats and guinea pigs, relation to feeding fluorine, study 1041-1045
Selenium—
injury to wheat plants, and its inhibition by sulphur. Annie M. Hurd-Karrer 343-357
toxicity to wheat plants—
inhibition by application of sulphates and sulphur to soils 351-353
relation of selenium-sulphur to 348-351
relation of sulphate to 346-348
Sexual maturity, domestic fowl, relation to egg weight. E. M. Funk 1033-1039
SHAW, LUTHER: Studies on Resistance of Apple and Other Rosaceous Plants to Fire Blight 283-313
SIEGLINGER, J. B.; SWANSON, A. F.; and MARTIN, J. H.: Inheritance of Awn Development in Sorghums 663-668
Sires, dairy, influence on milk production and butterfat percentage 437-442, 461

SMITH, CLAYTON O.: Inoculations Showing the Wide Host Range of *Botryosphaeria ribis*. Page 467–476

Smut infection, influence on plant vigor and other characters in smut-resistant oat varieties. V. C. Hubbard and T. R. Stanton 903–908

Soap, alkali content, effect on toxicity to Japanese beetle 33–34

Soaps—
potassium, of—
saturated fatty acids, effectiveness against Japanese beetle 34–35
vegetable oils, effectiveness against Japanese beetle 36–37
sodium and potassium, effect on Japanese beetle. Walter E. Fleming and Francis E. Baker 29–38

Sodium—
fluoride, feeding to rats and guinea pigs, effects 1041–1045
oleate, effectiveness against Japanese beetle, comparison with potassium oleate 33–34
selenate, effect upon wheat plants 344–346

Soil—
conditions, relation to fire-blight resistance in apple plants, experiments 290–294
fertility levels, responses of corn to, studies 992–999
flora, study by Cholodny method 1109–1113
fungi, nitrogen fixation, studies 1115–1121
levels, relation to effects on wheat plants of *Ophiobolus graminis*. Hurley Fellows and C. H. Ficke 871–880
microflora, study by Cholodny method 1099–1103, 1109–1113
microorganisms, effect on cotton root rot in manured and unmanured plots, experiments 1093–1105
moisture—
control methods 115–120
distribution under isolated forest trees. Herbert A. Lunt 695–703
effect on pecan root growth 513–514
influence on longevity of cotton root-rot sclerotia. C. J. King and E. D. Eaton 793–796
source of carrot bacterial blight infection 507–508, 509
temperature, effect on growth of pecan roots 516–519
texture, effect on pecan root growth 514
water movement, effect of confined air on. W. L. Powers 1125–1133

Soja max. *See* Soybeans.

Sorghum—
anthesis, pollination and fertilization in. J. C. Stephens and J. R. Quinby 123–136
blooming—
counts per hour 124–128
factors affecting 129–133
fertilization 134–135
kernel smuts. See *Sphacelotheca*.
pollination 133–134

Sorghums, awn development, inheritance. J. B. Sieglinger, A. F. Swanson, and J. H. Martin 663–668

Sows, reproduction, effects of vitamin-A-deficient diets on. E. H. Hughes 943–953

Soybean, cystine, tryptophane, and tyrosine content. Frank A. Csonka and D. Breese Jones 279–282

Soybeans—
green—
composition studies 161–163
immature, nutritive value of. Ruth C. Robbins and Carey D. Miller 161–167
vitamin content, determinations 163–167
nitrogen content, relation to amino acids 280–281
nutritive value, study 279–282
protein, amino-acid content, determination 279–281

Sphaceloma perseae—
cause of avocado scab. Anna E. Jenkins 859–869
conidial fructifications, development 860
cultural studies 860–863
technical description, varieties affected, and geographical range 863–864

Sphacelotheca—
cruenta— Page
cultural characters 1080–1083
hybridization and segregation 1075–1080
pathogenicity 1083–1084
physiologic forms, possible origin, studies. H. A. Rodenhiser 1069–1086
sexuality 1071–1075
sorghi—
cultural characters 1080–1083
hybridization and segregation 1075–1080
pathogenicity 1083–1084
physiologic forms, possible origin, studies. H. A. Rodenhiser 1069–1086
sexuality 1071–1075

Spray residues, effectiveness in control of gladiolus thrips, tests 359–372

Sprays, oil—
concentration, effect upon insecticidal efficiency, experiments 9–12, 15
residue, determination 4–6, 13–14

STANTON, T. R., and HUBBARD, V. C.: Influence of Smut Infection on Plant Vigor and Other Characters in Smut-Resistant Oat Varieties 903–90

Starch, fermentation for production of propionic acid, experiment 1018

Steam, injury to alfalfa and clover leaves, study 397–39

STEINER, G., and SCOTT, C. E.: A Nematosis of *Amsinckia* Caused by a New Variety of *Anguillulina dipsaci* 1087–1092

STEPHENS, J. C., and QUINBY, J. R.: Anthesis, Pollination, and Fertilization in *Sorghum* 123–136

STEWART, GEORGE: Effects of Inbreeding on Variability in Alfalfa 669–694

Stipa comata, botanical analysis, comparison of methods 815–842

Stomach-poison insecticides, effectiveness on Japanese beetle. Walter E. Fleming and Francis E. Baker 39–44

STRINGFIELD, G. H., and SALTER, ROBERT M.: Differential Response of Corn Varieties to Fertility Levels and to Seasons 991–1000

Sucrose, absorption by mildewed and rusted clover leaflets 557–558

Sugar beet—
parasitism of *Rhizoctonia solani* on. E. L. LeClerg 407–431
roots, inoculation with *Rhizoctonia solani*, experiments 416–420
seedlings, damping off, relation of *Rhizoctonia solani* isolates to 421–423

Sugarcane—
inoculation with *Pythium arrhenomanes*, experiments 210–217
root rot, variability of *Pythium arrhenomanes* in relation to. R. D. Rands and Ernest Dopp 189–221

Sulphur—
dusting on clover leaflets, effect on respiration 556–557
effect on selenium injury to wheat plants. Annie M. Hurd-Karrer 343–357

SWANSON, A. F.; SIEGLINGER, J. B.; and MARTIN, J. H.: Inheritance of Awn Development in Sorghums 663–668

Sweetpotatoes, mottle necrosis of, caused by *Pythium sclerotcichum*, n. sp. Charles Drechsler 881–890

Swine, Duroc-Jersey—
breeding for white spotting, experiments 629–632, 633
history and color relations 625–628
white spotting—
Julius E. Nordby 625–634
prevalence and economic importance 629

Taeniothrips gladioli, control by derris, nicotine, paris green, and other poisons in combination with molasses, studies 359–373

TAKAHASHI, MAKOTO, and WILSIE, C. P.: Natural Crossing in the Pigeonpea 923–927

TAUBENHAUS, J. J., and EZEKIEL, WALTER N.: Cotton Crop Losses from *Phymatotrichum* Root Rot 843–858

Temperature—
atmospheric, effect on fire-blight resistance in apple shoots 291–292

Temperature—Continued.
effect on— Page
blooming of sorghum flowers, study.. 129-130, 131
tobacco fermentation..... 144-147, 157
soil, effect on fire-blight resistance in apple shoots..... 291
Texas, cotton root-rot fungus—
in, morphology and life history. David C. Neal, R. E. Wester, and K. C. Gunn..... 539-548
persistent strands of. Homer C. McNamara, R. E. Wester, and K. C. Gunn..... 531-538
THORNE, GERALD: Some Plant-Parasitic Nemas, with Descriptions of Three New Species..... 755-763
Timber, Norway pine, felled, interrelationships of bark beetles and blue-staining fungi in. J. G. Leach, L. W. Orr, and Clyde Christensen..... 315-341
Timothy infusions, forms of nitrogen in. Walter S. Eisenmenger..... 375-378
Typhia—
adults, emergence from imported cocoons, obtaining for use against the Japanese beetle, methods. H. W. Allen and R. W. Burrell..... 909-922
cocoons, handling for emergence of adults, methods..... 909-915
emergence from cocoons in cellar incubators, variations..... 921-922
spp., emergence from cocoons, experiments..... 915-921
Tobacco—
cigar-leaf, "sweating", nature of process.. 137
fermentation studies. James Johnson... 137-160
infusions, forms of nitrogen in. Walter S. Eisenmenger..... 375-378
mosaic virus—
plant hosts..... 1137-1140
transmissibility by aphids from different hosts. Ismé A. Hoggan..... 1135-1142
odors, production by fermentation..... 150-151
Trees, forest, isolated, distribution of soil moisture under. Herbert A. Lunt..... 695-703
Trifolium pratense infusions, forms of nitrogen in..... 375-378
Triticum vulgare—
origin, polyploid theory of, relation to factors differentiating growth habit..... 599-603
varieties of, growth habit of cross between, nature and interaction of genes differentiating. LeRoy Powers..... 573-605
See also Wheat.
Tryptophane—
content of soybean. Frank A. Csonka and D. Breese Jones..... 269-282
feeding to rats, experiments..... 171-176
Tuberculariella ipsi, n. sp., technical description..... 335
Turnip, infection by *Plasmodiophora brassicae*, study..... 613
Tyrosine content of soybean. Frank A. Csonka and D. Breese Jones..... 279-282

Uromyces fallens, cause of red clover rust.. 549
Ustilago levis, influence on plant vigor and other characteristics in smut-resistant varieties of oats..... 903-908

VAN DER MEULEN, P. A.; METZGER, F. W.; and MELL, C. W.: The Relation of the Sugar Content and Odor of Clarified Extracts of Plants to Their Susceptibility to Attack by the Japanese Beetle..... 1001-1008
Vitamin—
A—
content of green soybeans, determination..... 163-164
diets deficient in, effects on reproduction of sows. E. H. Hughes..... 943-953
B—
content of green soybeans..... 164-165
nutritive properties in rye. D. W. Johnson and L. S. Palmer..... 169-181

Vitamin—Continued.
C— Page
content of green soybeans, determination..... 166-167
storage in rat and guinea pig, effect of fluorine feeding on. Hazel M. Hauck..... 1041-1046
G—
content of—
fishmeals, study..... 718, 719, 720-721
green soybeans, determination..... 165-166
nutritive properties in rye. D. W. Johnson and L. S. Palmer..... 169-181
VOORHEES, R. K.: Histological Studies of a Seedling Disease of Corn Caused by *Gibberella monliformis*..... 1009-1015

WALKER, J. C., and BLANK, L. M.: Fusarium-Resistant Danish Ballhead Cabbage..... 983-989
Walnuts, inoculation with *Botryosphaeria ribis*, experiments..... 469, 470, 471
WEBBER, J. M.: Chromosome Number and Meiotic Behavior in *Gossypium*..... 223-237
WERKMAN, C. H., and WOOD, H. G.: The Utilization of Agricultural Byproducts in the Production of Propionic Acid by Fermentation..... 1017-1024
WESTER, R. E.; GUNN, K. C.; and—
MCNAMARA, HOMER C.: Persistent Strands of the Cotton Root-Rot Fungus in Texas..... 531-538
NEAL, DAVID C.: Morphology and Life History of the Cotton Root-Rot Fungus in Texas..... 539-548
Wheat—
breeding for quality improvement, experiments..... 708-713
environment, effect on reaction of factors differentiating growth habit..... 593-595
infection with leaf rust, investigations... 955-980
leaf rust—
effect on—
development, experiments..... 970-975
water economy of plant, experiments..... 975-977
yield, experiments..... 965-970
relation to yield, growth, and water economy of two varieties of wheat. C. O. Johnston and E. C. Miller..... 955-981
plants—
effects of—
Ophiobolus graminis at different levels in the soil. Hurley Fellows and C. H. Ficke..... 871-880
sodium-selenate application to soil.. 344-346
selenium injury and its inhibition by sulphur. Annie M. Hurd-Karrer... 343-357
spring, leaf-rust infection, experiments... 958-977
two varieties, yield, growth, and water economy of, relation of leaf-rust infection to. C. O. Johnston and E. C. Miller..... 955-981
varieties, crosses, growth habits, interaction and nature of genes differentiating..... 573-603
winter—
inheritance of, quality in, studies..... 705-713
leaf rust infection, experiments..... 957-958
Trumbull and Michikof varieties, inheritance of quality. W. W. Worzella..... 705-714
Whey, fermentation for production of propionic acid, experiments..... 1019-1022
WILDER, O. H. M.; BETHKE, R. M.; and RECORD, P. R.—
Effect of Method of Manufacture on the Nutritive Value of Fishmeals as Determined by Growth Studies with Chicks.. 715-722
Effect of Method of Manufacture on the Nutritive Value of Fishmeals as Determined by Nitrogen-Balance Studies with Rats..... 723-730

WILSIE, C. P., and TAKAHASHI, MAKOTO: Natural Crossing in the Pigeonpea ..... Page 923–927

Wind—
effect on blooming of sorghum flowers ... 132–133
force, Beaufort scale of, adaptation for use on forested areas of northern Rocky Mountains. George M. Jemison 77–82

WOOD, H. G., and WERKMAN, C. H.: The Utilization of Agricultural Byproducts in the Production of Propionic Acid by Fermentation 1017–1024

WOODROOF, J. G., and WOODROOF, NAOMI C.: Pecan Root Growth and Development 511–530

WOODROOF, NAOMI C., and WOODROOF, J. G.: Pecan Root Growth and Development 511–530

WORZELLA, W. W.: The Inheritance of Quality in Trumbull and Michikof Varieties of Winter Wheat ..... Page 705–714

YARWOOD, CECIL E.: Effect of Mildew and Rust Infection on Dry Weight and Respiration of Excised Clover Leaflets 549–558

Yeast fermentation—
effect of dyes on, as influenced by hydrogen-ion concentration. Esther Adams and William J. Robbins 1025–1031
for production of propionic acid, experiments 1019–1020, 1022–1023

YOUNG, PAUL A.: Penetration, Distribution, and Effect of Petroleum Oils in Apple 559–571

Zea mays. *See* Corn.